



B R E E Z E • E A S T E R N

Be Ready. Be Sure.

35 Melanie Lane  
Whippany, New Jersey 07981

CAGE CODE 08484

BPC-283-73, Rev. E  
Sheet 1 of 6

# SOLDERING OF ELECTRICAL AND ELECTRONIC EQUIPMENT

Prepared By: David Brown 8/20/97  
Date  
David Brown  
Quality Assurance Engineer

Reviewed By: Joseph Selingo 10/30/97  
Date  
Joseph Selingo  
Electrical Design Engineer

Approved By: Ehambaram Sundaresan 10/31/97  
Date  
Ehambaram Sundaresan  
V.P., Quality Assurance

Approved By: Michael Mitchell 10/31/97  
Date  
Michael Mitchell  
V.P., Engineering

### EXPORT CONTROLLED - WARNING

This document may contain information that is subject to the International Traffic in Arms Regulations (ITAR) or the Export Administration Regulations (EAR), and may not be exported, released, or disclosed to foreign nationals, either in the United States or overseas, without first complying with the export requirements/regulations of the ITAR and/or EAR. The recipient is responsible for complying with all such export requirements/regulations. Include this notice with any reproduced portions of this document.

### NOTICE

This document contains information that is proprietary to Breeze-Eastern Corporation. It is an unpublished work protected under applicable copyright laws and constitutes trade secrets for the purpose of the Trade Secret and Freedom of Information Acts. It is delivered on the express conditions that it is not to be used, disclosed or reproduced, in any manner, in whole or in part without the prior written authorization of Breeze-Eastern, 35 Melanie Lane, Whippany, NJ 07981, USA. Nothing contained herein shall limit any rights granted by Breeze-Eastern under contract. This legend shall be included on any reproduction hereof. All rights are reserved. Any act in violation of applicable law may result in civil and/or criminal penalties.

|      |                           |          |          |   |              |          |             |
|------|---------------------------|----------|----------|---|--------------|----------|-------------|
| C    | ECO 15781                 | 07-07-99 | F. Sedia |   |              |          |             |
| B    | ECO 15283                 | 01-12-99 | F. Sedia |   |              |          |             |
| A    | ECO 14379                 | 11-05-87 | D. Brown | E | See CO 29535 | 09-20-12 | R. Jacobsen |
| Rev. | Changes-See Change Notice | Date     | By       | D | See CO 25317 | 01-25-07 | C. Blanton  |



B R E E Z E • E A S T E R N

*Be Ready. Be Sure.*

35 Melanie Lane  
Whippany, New Jersey 07981

**CAGE CODE 08484**

BPC-283-73, Rev. E  
Sheet 2 of 6

### TABLE OF CONTENTS

|     |   |   |
|-----|---|---|
| 1.0 | SCOPE.....  | 3 |
| 2.0 | APPLICABLE DOCUMENTS .....  | 3 |
| 3.0 | REQUIREMENTS .....  | 4 |
| 3.1 | ESD Control Program .....   | 4 |
| 3.2 | Environmental Conditions.....   | 4 |
| 3.3 | Soldering Requirements .....  | 5 |
| 3.4 | Additional Requirements for Repair Station and Field Service Activity ..... | 5 |
| 3.5 | Special Handling of Electrical Assemblies .....                             | 6 |
| 3.6 | Supplier MRB Action .....   | 6 |
| 3.7 | Training Requirements .....   | 6 |



B R E E Z E • E A S T E R N

*Be Ready. Be Sure.*

35 Melanie Lane  
Whippany, New Jersey 07981

**CAGE CODE 08484**

BPC-283-73, Rev. E  
Sheet 3 of 6

## **1.0 SCOPE**

1.1 This procedure defines the requirements for Electrical and Electronic Soldering.

## **2.0 APPLICABLE DOCUMENTS**

2.1 The following documents are for use with this specification. Terms and Definitions are in accordance with ANSI/IPC-T-50.

2.1.1 ANSI/IPC J-STD-001 Requirements for Soldered Electrical and Electronic Assemblies

2.1.1.1 ANSI/IPC J-STD-002 Solderability Tests for Components Leads, Terminations, Lugs Terminals and Wires.

2.1.1.2 ANSI/IPC J-STD-003 Solderability Tests for Printed Circuit Boards

2.1.1.3 ANSI/IPC J-STD-004 Requirements for Soldering Fluxes

2.1.1.4 ANSI/IPC J-STD-005 Requirements for Soldering Paste

2.1.1.5 ANSI/IPC J-STD-006 Requirements for Electronic Grade Solder Alloys and Fluxed and Non-Fluxed Solid Solders for Electronic Soldering Applications

2.1.1.6 ANSI/IPC-WHMA-620 Requirements and Acceptance for Cable and Wire Harness Assemblies

2.1.2 ANSI/IPC-HDBK-001 Handbook and Guide to the Requirements of Soldered Electronic Assemblies

2.1.3 ANSI/IPC A-610 Acceptability of Electronic Assemblies

2.1.4 ANSI/IPC-T-50 Terms and Definitions for Interconnecting and Packaging Electronic Circuits

2.1.5 ANSI/ESD-S-20.20 Protection of Electrical and Electronic Parts, Assemblies and Equipment.

2.1.6 MIL-STD-1686 Electrostatic Discharge Control Program for Protection of Electrical and Electronic Parts, Assemblies and Equipment

2.1.7 MIL-HDBK-263 Electrostatic Discharge Control Handbook for Protection of Electrical and Electronic Parts, Assemblies and Equipment

2.1.8 QC-1202 Breeze-Eastern MRB Form

2.1.9 QP-151 Soldering Training



B R E E Z E • E A S T E R N

*Be Ready. Be Sure.*

35 Melanie Lane  
Whippany, New Jersey 07981

**CAGE CODE 08484**

BPC-283-73, Rev. E  
Sheet 4 of 6

## 2.2 Conflict

2.2.1 In the event of conflict between any requirements specified herein and the applicable engineering blueprints and documentation, the following precedence shall be used to determine which document prevails:

1. Deviations approved by the affected customer and/or MRB
2. Contractually imposed requirements.
3. Project/product specified engineering blueprints and documentation.  
(Note: Deviations include waivers and concessions)

## 3.0 REQUIREMENTS

### 3.1 ESD Control Program

3.1.1 An ESD control program based on the requirements of either ANSI/ESD-S-20.20 or MIL-STD-1686 shall be actively used with the soldering process. All ESD programs are subject to audit by Breeze-Eastern Corp.

3.1.2 Records of ESD Awareness Training shall be available for review. Training shall be completed for all personnel involved in the soldering process on a regular basis and shall include not only operators, but all personnel involved in handling of ESD sensitive components.

### 3.2 Environmental Conditions

3.2.1 All areas used for electrical and electronic soldering shall be environmentally controlled unless stated otherwise.

3.2.1.1 Temperature shall be maintained between 64.4°F (18°C) and 86°F (30°C).

3.2.1.2 When humidity decreases to a level to a level below 30%, ESD controls must be verified to be adequate and that the range of humidity in the assembly area is sufficient to allow soldering and assembly materials to function correctly based on vendor recommendations and/or documented evidence of process performance. Relative humidity should not exceed 70%.



B R E E Z E • E A S T E R N

*Be Ready. Be Sure.*

35 Melanie Lane  
Whippany, New Jersey 07981

**CAGE CODE 08484**

BPC-283-73, Rev. E  
Sheet 5 of 6

### 3.3 Soldering Requirements

- 3.3.1 Electrical and electronic soldering, including all supplier soldering operations, shall be in accordance with ANSI/IPC J-STD-001.
- 3.3.2 Specification ANSI/IPC-HDBK-001 may be used to help clarify the contents of ANSI/IPC J-STD-001 and specification ANSI/IPC-A-610 may be used for referee purposes when inspecting electronic assembly workmanship.
- 3.3.3 Interim cleaning with isopropyl alcohol must be performed within 30 minutes of soldering.
- 3.3.4 100% Inspection of all soldered connections is required. For electrical and electronic assemblies being reworked or repaired, only the reworked or repaired areas require 100% inspection.

### 3.4 Additional Requirements for Repair Station and Field Service Activity

- 3.4.1 For Repair Station soldering activity: No temperature and humidity controls are required where the assembly repair is not a PWA or an ESD sensitive component. However the repair of PWA's or ESD sensitive components must be done in a controlled environment with full ESD controls.
- 3.4.2 For Field Service activity: It is recognized that Field Service can occur in difficult conditions in some cases and PWA or ESD sensitive component repair may be performed on an emergency basis in ambient conditions. Such activity is outside the control of this procedure. It is expected that the activity report of the service person will document the work performed and precautions taken during soldering and repair.
- 3.4.3 Repair operations in ambient conditions are permissible only on connector or switch to wire, wire to wire and wire to terminal connections. Only rework of solder connections, splicing of wires, and repair jumper wires is permissible by this procedure. Any other specific or special case repair including repair of PWA's is only permissible when a specific approved repair procedure is available.



B R E E Z E • E A S T E R N

*Be Ready. Be Sure.*

35 Melanie Lane  
Whippany, New Jersey 07981

**CAGE CODE 08484**

BPC-283-73, Rev. E  
Sheet 6 of 6

### 3.5 Special Handling of Electrical Assemblies

3.5.1 Some electrical assemblies are easily damaged in handling or storage. This is particularly true of some solenoid assemblies and motors. Care must be taken in assuring that any loose wiring, prior to trimming and finishing, is kept safe and undamaged. All assembly personnel are cautioned to examine the condition of the semi-finished assemblies and assure the wires are undamaged.

3.5.2 Damaged wiring in the unused portion of a wiring harness may be cut off and discarded as long as the undamaged wiring of the harness is in accordance with the drawing or work instruction. Any repair of a wiring harness that will effect or be a part of a finished electrical assembly must be repaired as part of an MRB action.

### 3.6 Supplier MRB Action

3.6.1 Electrical assembly suppliers do not have Breeze-Eastern MRB authority and must submit all MRB requests using the Breeze-Eastern MRB form QC-1202.

### 3.7 Training Requirements

3.7.1 A soldering training program based on the requirements of ANSI/IPC J-STD-001 and/or ANSI/IPC A-610 is required for all operators and inspectors prior to soldering and inspection of production hardware. QP-151 defines the Breeze-Eastern Soldering Training requirements.

3.7.2 All supplier soldering training programs are subject to audit by Breeze-Eastern Corp.

3.7.3 Records of soldering training, including the latest workmanship samples, shall be available for review. Training shall be completed for all personnel involved in the soldering process on a regular basis.