

# BREEZE-EASTERN CORPORATION

engineered products for global partners™

35 Melanie Lane  
Whippany, NJ 07981 USA

CAGE CODE 08484

SIL01 Maintenance

Revision C, 04/30/10, Highlights

## SERVICE INFORMATION LETTER

### Breeze-Eastern Rescue Hoist and Cargo Winch Maintenance Concept (Includes Time Between Overhaul Definition)

**TO: HOLDERS OF BREEZE-EASTERN SERVICE INFORMATION LETTER  
(SIL) 01 BREEZE-EASTERN RESUE HOIST AND CARGO WINCH  
MAINTENANCE CONCEPT, REVISION B.**

**THIS IS TO INFORM YOU OF THE RELEASE OF  
SIL01 MAINTENANCE REVISION C, DATED APRIL 30, 2010**

### HIGHLIGHTS

Revision C replaces in its entirety Revision B of SIL01 Maintenance, dated October 03, 2006. Please discard revision B and replace it with Revision C. Record the revision change in your records.

PAGE / PARAGRAPH	DESCRIPTION OF CHANGE
Added / Deleted / Addressed	
Highlights	Added
Page 1, Subject	Added Overhaul Clarification Note
Page 4	Revised Table 1. "Breeze-Eastern's Hoist / Winch Time Between Overhaul (TBO) Period," with added configurations.
	Revised Note (2)
Page 5	Revised Breeze-Eastern Maintenance Contacts.

**NOTE: BREEZE-EASTERN CORPORATION HAS MOVED ITS CORPORATE AND MANUFACTURING FACILITY TO: 35 MELANIE LANE, WHIPPANY, NJ 07981-1638 FROM 700 LIBERTY AVENUE, UNION, NJ 07083.**  
**NEW MAIN PHONE: 973-602-1001, 800-929-1919.**

**PROPRIETARY RIGHTS NOTICE:** This Service Information Letter contains information that is proprietary to Breeze-Eastern Corporation, is an unpublished work protected under applicable copyright laws and constitutes trade secrets for the purpose of the Trade Secret and Freedom of Information Acts. It is delivered on the express conditions that it is not to be used, disclosed or reproduced, in any manner, in whole or in part without prior written authorization of Breeze-Eastern Corporation, 35 Melanie Lane, Whippany, NJ 07981-1638, USA. Nothing contained herein shall limit any rights granted by Breeze-Eastern Corporation under contract. This legend shall be included on any reproduction hereof All rights are reserved. Any act in violation of applicable law may result in civil and / or criminal penalties

**EXPORT CONTROLLED – WARNING** This Service Information Letter may contain information that is subject to the International Traffic in Arms Regulations (ITAR) or the Export Administration Regulations (EAR), and may not be exported, released, or disclosed to foreign nationals, either in the United States or overseas, without first complying with the export requirements/regulations of the ITAR and/or EAR. The recipient is responsible for complying with all such export requirements/regulations. Include this notice with any reproduced portions of this document.

**SERVICE INFORMATION LETTER****Breeze-Eastern Rescue Hoist and Cargo Winch Maintenance Concept  
(Includes Time Between Overhaul Definition)**

**SUBJECT:** Breeze-Eastern has modified its maintenance concept for Rescue Hoists and Cargo Winches to reflect revised government aviation authority requirements, as well as current industry and military standards.

Notes: This SIL pertains to Breeze-Eastern Rescue Hoists and Cargo Winches. System Electronics such as Pendants, Pilot and Crew Control Panels are considered “On Condition” Maintenance.

This Service Information Letter replaces CAB-100-45, “Recommended Intervals For Planned Maintenance of Breeze-Eastern Hoists And Winches” in its entirety.

**INFORMATION.****A. Reason.**

Revisions made to the Federal Aviation Regulations (FAR), specifically FAR 27, “Airworthiness Standards: Normal Category Rotorcraft,” and FAR 29, “Airworthiness Standards: Transport Category Rotorcraft,” as well as the corresponding European Aviation Safety Agency (EASA) Certification Specifications (CS), CS-27, “Small Rotorcraft,” CS-29, “Large Rotorcraft,” mandate a stringent set of design requirements on the handling of external loads, both human and non-human.

To meet the FAR / EASA requirements for helicopter type certification the commercial helicopter manufacturers require an additional in depth level of detail in analyses, test, inspection, and maintenance.

Although the military is not bound by the commercial FAR’s and EASA CS’s, their design requirements on the handling of external loads, both human and non-human *are as stringent*, if not more stringent, than the civil aviation authorities.

Therefore, Breeze-Eastern is adopting and implementing a maintenance concept that will meet the changing / evolving requirements for safe Rescue Hoist and Cargo Winch design, operation, and maintenance.

**B. Effectivity.**

This Service Information Letter pertains to all Rescue Hoist and Cargo Winch Systems manufactured by Breeze-Eastern.

**PROPRIETARY RIGHTS NOTICE:** This Service Information Letter contains information that is proprietary to Breeze-Eastern Corporation, is an unpublished work protected under applicable copyright laws and constitutes trade secrets for the purpose of the Trade Secret and Freedom of Information Acts. It is delivered on the express conditions that it is not to be used, disclosed or reproduced, in any manner, in whole or in part without prior written authorization of Breeze-Eastern Corporation, 35 Melanie Lane, Whippany, NJ 07981-1638, USA. Nothing contained herein shall limit any rights granted by Breeze-Eastern Corporation under contract. This legend shall be included on any reproduction hereof All rights are reserved. Any act in violation of applicable law may result in civil and / or criminal penalties

**EXPORT CONTROLLED – WARNING** This Service Information Letter may contain information that is subject to the International Traffic in Arms Regulations (ITAR) or the Export Administration Regulations (EAR), and may not be exported, released, or disclosed to foreign nationals, either in the United States or overseas, without first complying with the export requirements/regulations of the ITAR and/or EAR. The recipient is responsible for complying with all such export requirements/regulations. Include this notice with any reproduced portions of this document.

**SERVICE INFORMATION LETTER****Breeze-Eastern Rescue Hoist and Cargo Winch Maintenance Concept  
(Includes Time Between Overhaul Definition)****C. Maintenance Concept Description.**

Breeze-Eastern has revised its maintenance concept to three (3) levels of established maintenance. They encompass both commercial and military definitions as defined below.

NOTE: All maintenance actions for Breeze-Eastern Rescue Hoists or Cargo Winches shall be accomplished in accordance with applicable Breeze-Eastern manuals and technical documentation. Furthermore, it is required that all maintenance requiring new components be accomplished utilizing Breeze-Eastern Federal Aviation Administration (FAA) / European Aviation Safety Agency (EASA) approved parts. Any and all actions taken by the owners / operators / maintenance facilities that deviate from Breeze-Eastern recommended procedures contained herein, or actions taken utilizing parts, or procedures not prescribed by Breeze-Eastern, shall not be the responsibility of Breeze-Eastern.

**Definitions.****1. Organizational / Flight Line Level:**

Maintenance at this level consists of preventative maintenance, visual inspection, and scheduled maintenance of the system, corrective maintenance for fault isolation, removal and replacement of the hardware that can be performed at the organization or flight line “within the shadow of the aircraft.”

**2. Intermediate / Hangar Level:**

Maintenance actions that cannot be accomplished at the Organizational / Flight Line Level of maintenance will require removal of the system, or component, to a hangar workshop / bench.

Examples where removal is required are access restrictions due to cowling, or helicopter, interface, and alternate power or testing needs not available on the flight line etc.

(Note: For certain export controlled items (ITAR), intermediate, or depot-level repair, and maintenance information may be exported to a location outside the United States only under a Technical Assistance Agreement approved specifically for that purpose).

**3. Depot Level / FAA - EASA Certified Repair Station:**

Maintenance at the Depot Level consists of Line Replaceable Unit (LRU) / Weapons Replaceable Assembly (WRA) repair, or overhaul, to return the unit to a fully operational condition.

At this level, the units may be tested prior to disassembly, disassembled, inspected, repaired / overhauled, and reassembled. After completion of assembly, the unit is acceptance tested.

At the Depot Level a functional test rig, as well as some special fixtures may be required.

**SERVICE INFORMATION LETTER****Breeze-Eastern Rescue Hoist and Cargo Winch Maintenance Concept  
(Includes Time Between Overhaul Definition)**

(Note: For certain export controlled items (ITAR), intermediate, or depot-level repair, and maintenance information may be exported to a location outside the United States only under a Technical Assistance Agreement approved specifically for that purpose).

**D. Breeze-Eastern Maintenance Services.**

Breeze-Eastern has revised its available maintenance services as defined in the following information.

**1. Scheduled Maintenance:**

Breeze-Eastern's maintenance action at this level is to perform scheduled maintenance on a Hoist or Winch System, returned by operators who do not have the capability, or who do not want to attempt, to accomplish these maintenance actions on their own.

**2. Repair / Unscheduled Maintenance:**

Breeze-Eastern's maintenance action at this level is to go to the repair level necessary to return the Hoist or Winch System to service. It will include functional testing, as well as any Breeze-Eastern mandated improvements that are known to enhance the performance and / or safety of the assembly.

**3. Overhaul:**

Breeze-Eastern's maintenance action at this level is to bring the Hoist or Winch System to a zero time / zero cycles condition regarding its overhaul status (see Table 1). The unit is completely disassembled and the torque path / load critical parts are inspected to engineering design criteria. Consumable, wear parts, and mandated parts are replaced, or reworked, in accordance with customer instructions / contract. The unit is reassembled, and acceptance tested, prior to being returned to service.

**Overhaul Interval:**

**NOTE:** If operators consistently sortie at excessive utilization rates, operate in adverse environmental conditions, etc. it is the *operator's responsibility* to increase the scope, and frequency of all Hoist, or Winch, maintenance actions to ensure safe operation of the equipment.

More frequent inspections can be made, but inspections cannot be accomplished less frequently.

**SERVICE INFORMATION LETTER****Breeze-Eastern Rescue Hoist and Cargo Winch Maintenance Concept  
(Includes Time Between Overhaul Definition)**

Breeze-Eastern's Hoist / Winch Time Between Overhaul (TBO) period is either five (5) years or two thousand (2,000) cycles from date of manufacture, whichever comes first, or ten (10) years or two thousand (2,000) cycles from date of manufacture, whichever comes first. Refer to Table 1 for the applicable Hoist / Winch Time Between Overhaul (TBO) period.

NOTE: A Hoist, or Winch, cycle is defined as reeling out the cable from full-in to full-out, and then reeling back to full-in.

Table 1. Breeze-Eastern's Hoist / Winch Time Between Overhaul (TBO) Period.

Hoist / Winch PN	Cycles	Years	Note(s)
All Cargo Winches	2000	10	(1)
All BL-29900's	2000	10	(2)
BL-10300-16X Series	2000	10	(2) and (3)
BL-10300-59-4, -63-1	2000	10	(2) and (3)
BL-20200-400-2	2000	10	(2)
BL-20200-41X Series and higher within the 41X, 42X, 43X, etc. Series of Rescue Hoists only.	2000	10	(2) and (3)
BL-20200-516, 517	2000	10	(2) and (3)
BL-27100 Series	2000	10	(2) and (3)
All others	2000	5	(3)

If incorporated, a Hoist or Winch cycle is defined by the cycle counter. If a Hoist, or Winch, does not have a cycle counter, then tracking of the number of cycles is dependent on the operator's records / usage logs.

Note(s):

- (1) With the exception of those cargo winches used in hoisting operations (5 year TBO).
- (2) With a 10 year overhaul period, an oil change and limit switch integrity check is recommended every 5 years.
- (3) If the part number is not listed in Table 1 then the TBO is 5 years or 2000 cycles.

# **BREEZE-EASTERN CORPORATION**

engineered products for global partners™

35 Melanie Lane  
Whippany, NJ 07981 USA

CAGE CODE 08484

SIL01 Maintenance

Revision C, 04/30/10, Page 5 of 5

## **SERVICE INFORMATION LETTER**

### **Breeze-Eastern Rescue Hoist and Cargo Winch Maintenance Concept (Includes Time Between Overhaul Definition)**

#### **E. Breeze-Eastern Maintenance Contacts.**

Operators are encouraged to coordinate all repair / overhaul work with Breeze-Eastern, or their authorized Service Centers. Breeze-Eastern is a Federal Aviation Administration (FAA) and a Joint Aviation Authorities (JAA) FAR / JAR-145 approved Repair Station (FAA Repair Station No. BZ7R167O, JAR-145 Acceptance Certificate Reference No. JAA.5454), and can repair / overhaul the system at competitive prices and lead-times. Please contact Breeze-Eastern Customer Services as follows:

Breeze-Eastern Corporation

35 Melanie Lane

Whippany, New Jersey 07981-1638 USA

Phone Number: 973-602-1001, Ext.1175 or 1102, or 1-800-929-1919 (US and Canada only)

Fax Number: 973-739-9344

E-mail Address: [customerservices@breeze-eastern.com](mailto:customerservices@breeze-eastern.com)

Web Site Address: [www.breeze-eastern.com](http://www.breeze-eastern.com)